

## Hebei Huizhuo New Materials Group Co., Ltd

To provide you with cost-effective CARBON FIBER, GLASS FIBER solutions!!!

Address: No. 10, Second Industrial South Road, Small and Medium Enterprise Pioneer Park, Zao qiang County , Heng shui City, Hebei Province, China



## Our strength:

- 1. Our own factory and a team of experienced employees with strong technical strength have laid the foundation for the manufacturing of excellent products;
- 2.Our company has complete equipment and material preparation facilities, with obvious advantages in large-scale production;
- 3. Having extensive, stable, and excellent customer resources; Manufacturers face users directly and reduce intermediate links;
- 4. The quality system is complete and operates well, providing guarantee for product quality;
- 5. The company implements an excellent management model that can quickly provide customers with high-quality and affordable products and services







Hebei Huizhuo New Materials Co., Ltd. was established in 2019 with a registered capital of 31 million yuan. It is located in the Zao Qiang Xian Zhong Xiao Qi Ye Yuan, covering an area of 28620 m².

Currently, it has more than 160 employees, including 26 management personnel and 18 technicians. It is a company specializing in the research and development, production, sales, installation and service of carbon fiber products, carbon fiber and glass fiber products.


The main products produced include various carbon fiber products such as carbon fiber rollers, carbon fiber pipes, carbon fiber boards, carbon fiber shaped parts, and carbon fiber and glass fiber products.

The products are used in papermaking, medical, military, chemical, aerospace, sports, automotive, construction, electronics and other fields. With strong economic strength and hardware facilities, scientific management methods, and a complete after-sales system.

We have gained recognition and love from a large number of customers and is exported to Japan, South Korea, and other countries.







After several years of hard work, our company has independently developed a series of high-performance paper making doctor blade products.

After being put on the market, they have been widely used in various drying cylinders. Their high wear resistance and protection of the cylinder have been fully demonstrated, and they have been well received by papermaking machinery manufacturers.

At the same time, we are also equipped with various specifications of special high-temperature doctor blade air tires and doctor blade holder and other papermaking machinery consumables.

Welcome merchants at home and abroad to contact us for details.

You can see the detailed introducion following:





## HZ- I

High strength ultra-fine glass fiber combined with chemically resistant epoxy resin for excellent wearresistance

Main use: Suitable for various rollers from the mesh section to the coiling section, and in most cases, it allows the metal scraper to be turned into acomposite material doctor blade.

## HZ-Ⅱ

In addition to the combin at ion of high-strength ultra-fine glassfiber and chemically resistant epoxy resin, high-strength wear-resistant materials are added to achieve high cleaning effects, suitable for areas with high requirements for scraping and cleaning effects.

Usage area: The pressing section and drying cylinder have good cleaning effect.

Bending strength: 400MPA









## HZ-Ⅲ

In addition to the combination of high-strength ultra-fine glass fiber and chemically resistant epoxy resin, an additional wear-resistant material is added, which has a performance between glass fiber and carbon fiber. Not only does the wear resistance increase, but the temperature resistance also reaches 200 °C

Application area: Suitable for more areas. Multiple rollers can be used

Bending strength: 600MPA

## HZ-2C

Made of 20% carbon fiber cloth and high-strength ultrafine glass fiber, combined with excellent epoxy resin to enhance chemical resistance, the scraper has excellent adhesion to the roller surface

Maximum operating temperature: 180 ℃

Bending strength: greater than 720MPA

Usage: Suitable for vehicles with a speed greater than 500m/min, Suitable for drying cylinders, chrome plated rolls, stone rolls, etc





## HZ-4C

Composed of 40% carbon fiber cloth and high-strength ultrafine glass fiber cloth, excellent epoxy resin improves wear resistance, prolongs service life, and improves cleaning effect

Maximum operating temperature: 180 ℃

Bending strength: greater than 760MPA

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc

## HZ-6C

Composed of 60% carbon fiber cloth and high-strength ultra-fine glass fiber cloth, excellent epoxy resin, improving wear resistance, extending service life, and increasing cleaning effect.

Maximum operating temperature: 185 °C.

Bending strength: greater than 780MPA.

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc.







## HZ-100C

Composed of 100% carbon fiber cloth and high-strength ultra-fine glass fiber cloth, excellent epoxy resin improves wear resistance, prolongs service life, and improves cleaning effect.

Maximum operating temperature: 180 °C.

Bending strength: greater than 800MPA.

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc.



### HZ-2C-Ⅱ

Composed of 20% carbon fiber cloth and high-strength ultrafine glass fiber, Added ultra-fine grinding material. Improvements made on the basis of HZ-2C result in better wear resistance and removal effect.

Maximum operating temperature: 185 °C.

Bending strength: greater than 720MPA.

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc. with dirty adhesive.





## HZ-4C-Ⅱ

Composed of 40% carbon fiber cloth and high-strength ultrafine glass fiber, Added ultra-fine grinding material. Improvements made on the basis of HZ-4C result in better wear resistance and removal effect.

Maximum operating temperature: 185 °C.

Bending strength: greater than 760MPA.

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc. with dirty adhesive.



## HZ-2C-T200

The combination of 20% carbon fiber products, high temperature resistant system resin, and glass fiber has good cleaning effect and a wide range of applications.

Maximum operating temperature: 220 °C.

Bending strength: greater than 720MPA.

Usage: Super high temperature hot roller, calendering roller, etc.





### HZ-4C-T200

The combination of 40% carbon fiber products, high temperature resistant system resin, and glass fiber provides better cleaning effect, enhanced wear resistance, extended service life, and a wide range of applications

Maximum operating temperature: 220 °C.

Bending strength: greater than 760MPA.

Usage: Super high temperature hot roller, calendering roller, etc.



## HZ-100C-T200

The combination of 100% carbon fiber products, high temperature resistant system resin, and glass fiber provides the best cleaning effect, longer service life and a wider range of applications.

Maximum operating temperature: 220 °C.

Bending strength: greater than 800MPA.

Usage: Super high temperature hot roller, calendering roller, etc.







Composed of 20% carbon fiber cloth and high-strength ultrafine glass fiber, Equipped with ultra-fine grinding materials and added with wear-resistant materials on the surface. Improvements made on the basis of HZ-2C-II have reduced the frictional resistance of the cylinder surface, increased wear resistance, and increased cleaning intensity.

Maximum operating temperature: 220 °C.

Bending strength: greater than 720MPA.

Usage: Suitable for drying cylinders, chrome plated rolls, stone rolls, etc. with dirty adhesive.



## **HZ-Phenolic Resin**

Composed of special cotton fiber cloth and high-performance phenolic resin, adding high wear-resistant materials to make it more wear-resistant, and greatly reducing the friction coefficient

Maximum operating temperature: 125 ℃

Usage: Hard rubber roller, copper cooling roller, etc.





## **HZ-HDPE**

Mainly composed of high molecular weight polyethylene resin. Its molecular weight is greater than 8 million, and there is a special groove design that can add spring plates. Wear resistance

Maximum operating temperature: 80 °C

Usage: Breast roller, soft rubber roller, polyurethane roller, etc



## **HZ-CLEAN**

Adopting advanced wear-resistant materials, it is a self-developed new material with higher cost-effectiveness and cleanliness, and its performance is between HZ-2C and HZ-4C.

Maximum operating temperature: 160 °C.

Bending strength: greater than 720MPA.





HZ-phosphorus bronze doctor blade

Made of high-quality copper alloy, it is relatively flexible in metal blades, has low friction coefficient, good cleaning effect, and is not easy to damage cylinder rollers.

Hardness: greater than 220 (HV).

Usage: Suitable for rollers made of various materials such as drying cylinder and calendering section.



HZ-stainless steel doctor blade

Stainless steel quenched using advanced process technology (containing 13% chromium). It is not easy to generate black lines or sparks.

Hardness: greater than 42 (HR)

Usage: Suitable for paper machines with high requirements for paper surface quality.



## DOCTOR BLADE **HOLDER SERIES:**

## Flexiable Doctor blade holder:

Our main products include: pull-out scraper system, mobile single scraper, double scraper system, sink double scraper system, wrinkling scraper system, hydraulic wrinkling scraper system, etc.

The scraper clamp has double airbag clamp, self weight clamp, pull-out clamp, etc







# KF 35 carbon fiber doctor blade holder







## Air Pressure tubes

This pneumatic tire uses braided Kevlar (aramid), which is resistant to high temperatures, acids and alkalis, and corrosion.


Each roll is 50m, tube diameter 25mm.

The inner rubber is resistant to high temperatures of 200 degrees Celsius.





## Real time photos of the factory area:







## Partial equipment display:



















**/** 2018

## Our

## honor



## 重质量守信用单位

VALUE QUALITY AND CREDIT ENTERPRISE

河北惠卓环保设备有限公司 河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业重质量守信用单位等级为:



信用编码: HXZC202134268

颁发日期: 2021年04月29日

有效期至: 2024年04月28日 公示查询: www.315gov.cn



商务信用互认标识 电子证书

1. 重质量守信用认证自评定之日起有效期为三年。

Quality and Credit Certificate is valid for three years from the date of evaluation. 2. 重质量守信用认证自实行复审制度、有效期内、每年复审一次、经复审合格的、加差复审意后 可继续使用;信用状况发生变化的、需要重新评定信用等级并更换证书。

Quality and Credit Certificate is subject to a review system, which is reviewed annually for the duration of the period. After the review is qualified, a review seal will be stamped. the certificate can continue to be used, and if the credit status changes, the certificate needs to be re-evaluated and replaced.

3. 有效期内企业改变名称的,必须持证到发证单位办理变更手续。

If an enterprise changes the name of the enterprise within the validity period of this

certificate, the person in charge of the enterprise must bring the certificate to the issuing unit for the change procedure

4. 本证书只证明企业有效期内的信用状况。不作他用。

This certificate only proves the credit status within the valid period of the enterprise and will not be used for other purposes.

5. 本证书不得涂改、转借。

复审记录:



## 诚信经营示范单位

INTEGRITY BUSINESS ENTERPRISE 河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业诚信经营示范单位签级为



信用编码: HXZC20213426

颁发日期: 2021年04月29日

有效期至: 2024年04月28日

公示查询: www.315gov.cn www.credithidding.org.cn 商务信用互认标识 电子证书

证书说明:

1. 诚信经营示范认证自评定之日起有效期为三年。

Integrity Business Certificate is valid for three years from the date of evaluation. 2. 诚信经营示范认证自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后 可继续使用,信用状况发生变化的,需要重新评定信用等级并更换证书。

Integrity Business Certificate is subject to a review system, which is reviewed annually for the duration of the period. After the review is qualified, a review seal will be stamped.

the certificate can continue to be used, and if the credit status changes, the certificate needs to be re-evaluated and replaced.

3.有效期内企业改变名称的,必须持证到发证单位办理变更手续。

If an enterprise changes the name of the enterprise within the validity period of this certificate, the person in charge of the enterprise must bring the certificate

to the issuing unit for the change procedure.

4. 本证书只证明企业有效期内的信用状况,不作他用。

This certificate only proves the credit status within the valid period of the enterprise and will not be used for other purposes.

5. 本证书不得涂改, 转借。

This certificate shall not be altered or lent

复审记录:



## 重合同守信用企业

OVSERVE CONTRACTS AND KEEP PROMISES ENTERPRISE 河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业重合同守信用企业等级为:



信用编码: HXZC202134266

颁发日期: 2021年04月29日

有效期至: 2024年04月28日

公示查询: www.315gov.cn

商务信用互认标识 电子证书

1. 重合同守信用认证自评定之日起有效期为三年。

Ovserve contract and keep promisese is valid for three years from the date of evaluation 2. 重合同守信用认证自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后 可继续使用;信用状况发生变化的。需要重新评定认证并更换证书。

Overve contract and keep promisese subject to a review system, which is reviewed annually for the duration of the period. After the review is qualified, a review seal will be stamped, the certificate can continue to be used, and if the credit status changes, the certificate needs to be re-evaluated and replaced.

3. 有效期内企业改变名称的,必须持证到发证单位办理变更于续。

If an enterprise changes the name of the enterprise within the validity period of this certificate, the person in charge of the enterprise must bring the certificate to the issuing unit for the change procedure

4. 本证书只证明企业有效期内的信用状况。不作他用。

This certificate only proves the credit status of the enterprise during its validity period and it is not used for other purposes.

5. 本证书不得涂改, 转借。

This certificate shall not be altered or lent

复审记录:





## 质量服务诚信单位

QUALITY SERVICE INTEGRITY ENTERPRISE 河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业质量服务诚信单位等级为:



信用编码: HXZC202134265

類发日期: 2021年04月29日

有效期至: 2024年04月28日

公示查询: www.315gov.cn www.creditbidding.org.cn

商务信用互认标识 电子证书

证书说明:

1. 质量服务诚信认证自评定之日起有效期为三年。

Quality Service Prestige Certificate is valid for three years from the date of evaluation. 2. 质量服务诚信认证自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后

可继续使用;信用状况发生变化的,需要重新评定并更换证书。 Quality Service Prestige Certificate is subject to a review system, which is reviewed annually for the duration of the period. After the review is qualified a review seal will be stamped, the certificate can continue to be used, and if the credit status changes, the certificate

needs to be re-evaluated and replaced. 3. 有效期内企业改变名称的,必须持证到发证单位办理变更手续。

If an enterprise changes the name of the enterprise within the validity period of this certificate, the person in charge of the enterprise must bring the certificate to the issuing unit for the change procedure.

4. 本证书只证明企业有效期内的信用状况,不作他用。

This certificate only proves the credit status of the enterprise during its validity period and it is not used for other purposes

5. 本证书不得涂改, 转借。 This certificate shall not be altered or lent.

复审记录:





## Our

## honor



## 企业资信等级证书

河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该



信用编码: HXZC202134264

颁发日期: 2021年M月29日

有效期至: 2024年04月28日



公示查询: www.315gov.cn www.creditbidding.org.cn

证书说明:

1. 企业资信等级自评定之日起有效期为三年。

be re-evaluated and replaced.

5. 本证书不得涂改。转借。

复审记录:

2. 企业资信等级自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后

If an enterprise changes the name of the enterprise within the validity period of this

certificate, the person in charge of the enterprise must bring the certificate to the

This certificate only proves the credit status of the enterprise during its validity

The Enterprise Credit Grade Certificate is subject to a review system, which is reviewed annually

for the duration of the period. After the review is qualified, a review seal will be stamped, the

可继续使用;信用状况发生变化的,需要重新评定资信等级并更换证书。

3. 有效期内企业改变名称的,必须持证到发证单位办理变更手续。

4. 本证书只证明企业有效期内的信用状况,不作他用。

period and it is not used for other purposes.

### 商务信用互认标识 电子证书



## 企业信用评价AAA级信用企业 ENTERPRISE CREDIT EVALUATION

公司名称:河北惠卓环保设备有限公司 Corporate name

信用编码:HXZC202134263

Certificate Number 有效日期:2021-04-29至2024-04-28

Date of Expiry

公示查询:中国商务诚信公共服务平台

(www. 315gov. cn) Public Inquiry







## 企业信用等级证书

河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业信用等级为:



信用编码: HXZC202134263

有效期至: 2024年04月28日

公示查询: www.315gov.cn www.creditbidding.org.cn

商务信用互认标识 电子证书

1 企业信用等级自语定之目起右效期为三年。

The enterprise credit rating shall be valid for three years from the date of evaluation 2. 企业信用等级自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后 可继续使用; 信用状况发生变化的, 需要重新评定信用等级并更换证书。

The enterprise credit grade shall be subject to review once a year within the validity period. If the applicant is qualified through the re-examination, the re-examination seal shall be affixed. May continue to use; If the credit status changes, the credit rating shall be re-evaluated and the certificate shall be replaced.

3. 有效期内企业改变名称的,必须持证到发证单位办理变更手续。

If an enterprise changes the name of the enterprise within the validity period of this certificate, the person in charge of the enterprise must bring the certificate to the issuing unit for the change procedure

4. 本证书只证明企业有效期内的信用状况,不作他用。

and will not be used for other purposes. 5. 本证书不得涂改, 转借。

This certificate shall not be altered or lent

复审记录:

Re-examination records





## 重服务守信用企业

VALUE SERVICE AND CREDIT ENTERPRISE

河北惠卓环保设备有限公司

河北省衡水市枣强县经济开发区中小企业园工二路兴园北街交叉口

针对该企业的信用记录、经营状况、债务风险、发展 前景、结合社会口碑、公众认可度, 经审核评估, 认定该 企业重服务守信用企业等级为:



信用编码: HXZC202134269

有效期至: 2024年04月28日

公示查询: www.315gov.cn www.creditbidding.org.cn

商务信用互认标识 电子证书



1. 重服务守信用认证自评定之日起有效期为三年。

Service and Credit Certificate is valid for three years from the date of evaluation 2. 重服务守信用认证自实行复审制度,有效期内,每年复审一次。经复审合格的,加盖复审章后 可继续使用。使用状况发生变化的、需要重新评定使用等级并更换证书。

Service and Credit Certificate is subject to a review system, which is reviewed annually for the duration of the period. After the review is qualified, a review seal will be stamped, the certificate can continue to be used, and if the credit status changes, the certificate

3.有效期内企业改变名称的,必须持证到发证单位办理变更手续。

If an enterprise changes the name of the enterprise within the validity period of this certificate, the person in charge of the enterprise must bring the certificate

to the issuing unit for the change procedure. 4. 本证书只证明企业有效期内的信用状况,不作他用。

This certificate only proves the credit status within the valid period of the enterprise, and will not be used for other purposes

5. 本证书不得涂改, 转借。

This certificate shall not be altered or lent

复审记录:

